

Bid Specifications for Ice Resurfacer	Price	Exceptions	Yes	No	Comments
<p>**Note: Bids are being requested for both an electric powered and a propane powered Ice Resurfacer intended for use on an outdoor 85'x200' refrigerated ice rink with 28' radius corners.</p>					
<p>**Once bids are received one of the two units will be chosen for purchase.</p>					
<p>**Trade in consideration will be determined after bids are evaluated.</p>					
<p><b>the following:</b></p>					
<p>2016 or Newer Olympia Millennium E, Electric Powered</p>					
<p><b>General Specifications:</b></p>					
<p>Snow bin front lip height 42" minimum O.F.F. when fully extended</p>					
<p>Wash Water and Flood Water Fill on Right side of Vehicle</p>					
<p>Total vehicle length less than 170"</p>					
<p>Total vehicle width less than 90"</p>					
<p>Vehicle Height with snow bin open less than 160"</p>					
<p>Vehicle Turning radius at the conditioner</p>					
<p><b>Additional Required Accessories:</b></p>	<p>Turn Radius:</p>				
<p>Back Up Alarm</p>					
<p>Board Brush</p>					
<p>Operators manual and DVD training videos</p>					
<p>Service manual for unit</p>					
<p>Parts manual for unit</p>					
<p><b>Bid Options (price separately if applicable):</b></p>					
<p>Stainless Steel Wash and Flood Water Tanks</p>					
<p>Stainless Steel Water Distribution Piping</p>					
<p>Electronic Water Level gauge</p>					
<p>Advanced/Automatic Flood Water System</p>					
<p>Tire Wash System</p>					
<p>Automatic Snow Breaker</p>					
<p>Auto Fill Flood water Shut off</p>					



Bid Specifications for Ice Resurfacer	Price	Exceptions	Yes	No	Comments
<p>**Note: Bids are being requested for both an electric powered and a propane powered Ice Resurfacer intended for use on an outdoor 85'x200' refrigerated ice rink with 28' radius corners.</p> <p>**Once bids are received one of the two units will be chosen for purchase.</p> <p>**Trade in consideration will be determined after bids are evaluated.</p>					
<p><b>the following:</b></p>					
<p>2016 or Newer Olympia Millennium H, Propane Powered</p>					
<p><b>General Specifications:</b></p>					
<p>Snow bin front lip height 42" minimum O.F.F. when fully extended</p>					
<p>Wash Water and Flood Water Fill on Right side of Vehicle</p>					
<p>Total vehicle length less than 170"</p>					
<p>Total vehicle width less than 90"</p>					
<p>Vehicle Height with snow bin open less than 160"</p>					
<p>Vehicle Turning radius at the conditioner</p>					
<p><b>Additional Required Accessories:</b></p>					
<p>Back Up Alarm</p>					
<p>Board Brush</p>					
<p>Operators manual and DVD training videos</p>					
<p>Service manual for unit</p>					
<p>Parts manual for unit</p>					
<p><b>Bid Options (price separately if applicable):</b></p>					
<p>Stainless Steel Wash and Flood Water Tanks</p>					
<p>Stainless Steel Water Distribution Piping</p>					
<p>Electronic Water Level gauge</p>					
<p>Advanced/Automatic Flood Water System</p>					
<p>Tire Wash System</p>					
<p>Automatic Snow Breaker</p>					
<p>Auto Fill Flood water Shut off</p>					

Exhibit B

	Price	Exceptions	Yes	No	Comments
Auto Fill Wash water Shut off					
Parking Brake					
Edger Conditioner Attachment					
Automatic Blade Adjustment/Laser Level System					
6 Steel shaving blades of appropriate width with two row mounting holes					
Additional Annual Maintenance and Service Plan (Please provide supplementary documentation as appropriate)					
Mechanic Training Certification (include cost and details for factory certification of two mechanics)					
<b>Trade in Vehicle Specifications:(pictures available on request)</b>					
1999 Zamboni 500 series serial# 7226					
wash system, flood water level gauge					

Bid Specifications for Ice Resurfacer	Price	Exceptions	Yes	No	Comments
<p>**Note: Bids are being requested for both an electric powered and a propane powered ice Resurfacer intended for use on an outdoor 85'x200' refrigerated ice rink with 28' radius corners.</p>					
<p>**Once bids are received one of the two units will be chosen for purchase.</p>					
<p>**Trade in consideration will be determined after bids are evaluated.</p>					
<p><b>the following:</b></p>					
<p>2016 or Newer Zamboni Model 546, Propane Powered</p>					
<p><b>General Specifications:</b></p>					
<p>Snow bin front lip height 42" minimum O.F.F. when fully extended</p>					
<p>Wash Water and Flood Water Fill on Right side of Vehicle</p>					
<p>Total vehicle length less than 170"</p>					
<p>Total vehicle width less than 90"</p>					
<p>Vehicle Height with snow bin open less than 160"</p>					
<p>Vehicle Turning radius at the conditioner</p>					
<p><b>Additional Required Accessories:</b></p>					
<p>Back Up Alarm</p>					
<p>Board Brush</p>					
<p>Operators manual and DVD training videos</p>					
<p>Service manual for unit</p>					
<p>Parts manual for unit</p>					
<p><b>Bid Options (price separately if applicable):</b></p>					
<p>Stainless Steel Wash and Flood Water Tanks</p>					
<p>Stainless Steel Water Distribution Piping</p>					
<p>Electronic Water Level gauge</p>					
<p>Advanced/Automatic Flood Water System</p>					
<p>Tire Wash System</p>					
<p>Automatic Snow Breaker</p>					
<p>Auto Fill Flood water Shut off</p>					

Exhibit C

	Price	Exceptions	Yes	No	Comments
Auto Fill Wash water Shut off					
Parking Brake					
Edger Conditioner Attachment					
Automatic Blade Adjustment/Laser Level System					
6 Steel shaving blades of appropriate width with two row mounting holes					
Additional Annual Maintenance and Service Plan (Please provide supplementary documentation as appropriate)					
Mechanic Training Certification (include cost and details for factory certification of two mechanics)					
<b>Trade in Vehicle Specifications:(pictures available on request)</b>					
1999 Zamboni 500 series serial# 7226					
wash system, flood water level gauge					

Bid Specifications for Ice Resurfacer									
Price	Exceptions	Yes	No	Comments					
<p>**Note: Bids are being requested for both an electric powered and a propane powered Ice Resurfacer intended for use on an outdoor 85'x200' refrigerated ice rink with 28' radius corners.</p> <p>** Once bids are received one of the two units will be chosen for purchase.</p> <p>**Trade in consideration will be determined after bids are evaluated.</p>									
<p>the following:</p>									
<p>2016 or Newer Zamboni Model 552, Electric Powered</p>									
<p><b>General Specifications:</b></p>									
<p>Snow bin front lip height 42" minimum O.F.F. when fully extended</p>									
<p>Wash Water and Flood Water Fill on Right side of Vehicle</p>									
<p>Total vehicle length less than 170"</p>									
<p>Total vehicle width less than 90"</p>									
<p>Vehicle Height with snow bin open less than 160"</p>									
<p>Vehicle Turning radius at the conditioner</p>									
<p><b>Additional Required Accessories:</b></p>									
<p>Back Up Alarm</p>									
<p>Board Brush</p>									
<p>Operators manual and DVD training videos</p>									
<p>Service manual for unit</p>									
<p>Parts manual for unit</p>									
<p><b>Bid Options (price separately if applicable):</b></p>									
<p>Stainless Steel Wash and Flood Water Tanks</p>									
<p>Stainless Steel Water Distribution Piping</p>									
<p>Electronic Water Level gauge</p>									
<p>Advanced/Automatic Flood Water System</p>									
<p>Tire Wash System</p>									
<p>Automatic Snow Breaker</p>									
<p>Auto Fill Flood water Shut off</p>									

Exhibit D

	Price	Exceptions	Yes	No	Comments
Auto Fill Wash water Shut off					
Parking Brake					
Edger Conditioner Attachment					
Automatic Blade Adjustment/Laser Level System					
6 Steel shaving blades of appropriate width with two row mounting holes					
Additional Annual Maintenance and Service Plan (Please provide supplementary documentation as appropriate)					
Mechanic Training Certification (include cost and details for factory certification of two mechanics)					
<b>Trade in Vehicle Specifications:(pictures available on request)</b>					
1999 Zamboni 500 series serial# 7226					
wash system, flood water level gauge					